

RED DOT

PROFESSIONAL CARBON

RC TOURING SYSTEM


Lightweight & Robust

Compatible with the REDOT RC-M, RC-oL and RC-iL series panels

All-in-one & independent solution of single panel, touring frame and wind-bracing



Extreme strong touring frame using mould-pressing carbon backbone

Carbon parts




MODULAR DESIGN

LED Modules




Fully carbon frame

Touring frame




Collapsible wind-bracing




Y



Panel with touring frame




Panel with touring frame & wind-bracing deployed





Panel with touring frame & wind-bracing collapsed






Top view of wind-bracing deployed

HANGING & STACKING INDEPENDENTLY WITH WIND-BRACING




 Climbing support

HANGING & STACKING INDEPENDENTLY WITH WIND-BRACING





CURVE DESIGN




Concave (Max. 10°)

Convex (Max. 10°)

DOLLY for 2x7 panels




DOLLY




Measurement: 1200mm (L) x 1085mm (W) x 1314.6mm (H)

REAR SERVICEABLE



Power supply taken out from back side

REAR SERVICEABLE



Modules taken out from
back side


Modules can also be taken
out from the front side

MEASUREMENTS




Panel RC-oL3.9 with touring frame

Size: 500x1000x126.6mm
Weight: 17.97kg



Panel RC-oL3.9 with touring frame & wind-bracing deployed

Size: 500x1000x486.4mm
Weight: 20.67kg



Panel RC-oL3.9 with touring frame & wind-bracing callapsed


Size: 500x1000x137mm
Weight: 20.67kg

MEASUREMENTS




Panel RC-M6.9 with touring frame

Size: 500x1000x130.6mm
Weight: 15.89kg



Panel RC-M6.9 with touring frame & wind-bracing deployed


Size: 500x1000x467.2mm
Weight: 18.59kg



Panel RC-M6.9 with touring frame & wind-bracing collapsed


Size: 500x1000x140.1mm
Weight: 18.59kg

MEASUREMENTS




Panel RC-iL2.6 with touring frame

Size: 500x1000x135.2mm
Weight: 16.9kg



Panel RC-iL2.6 with touring frame & wind-bracing deployed

Size: 500x1000x474.8mm
Weight: 19.6kg



Panel RC-iL2.6 with touring frame & wind-bracing collapsed

Size: 500x1000x144.6mm
Weight: 19.6kg

REDOT
PROFESSIONAL CARBON

THANK YOU